

Kadlecová Zuzana

(rozvrh platný od 1.9.2016)

| | | | | | | | | | | | |
|--|--|--|---|--|--|--|--|--|--|---|---|
| 0 7 ¹⁰ - 7 ⁵⁵ | 1 8 ⁰⁰ - 8 ⁴⁵ | 2 8 ⁵⁵ - 9 ⁴⁰ | 3 9 ⁵⁰ - 10 ³⁵ | 4 10 ⁵⁵ - 11 ⁴⁰ | 5 11 ⁵⁰ - 12 ³⁵ | 6 12 ⁴⁵ - 13 ³⁰ | 7 13 ³⁵ - 14 ²⁰ | 8 14 ²⁵ - 15 ¹⁰ | 9 15 ¹⁵ - 16 ⁰⁰ | 10 16 ⁰⁵ - 16 ⁵⁰ | 11 16 ⁵⁵ - 17 ⁴⁰ |
|--|--|--|---|--|--|--|--|--|--|---|---|

Výpis supl. pohotovostí,
dohledů

| | | | | | | | | | | | |
|--------|--|--|------------------------------|------------------------------|------------------------------|--|--|------------------------------|------------------------------|------------------------------|-----|
| P o | | | | | | | | G 3.S NAV (304) | G 3.S NAV (304) | G 3.S NAV (304) | |
| | | | | | | | | | | | Poh |
| Ú t | | | | | | | | | | | |
| S t | | | | | | | | | | | |
| Č t | | | G 3.S VYP (304) | G 3.S VYP (304) | G 3.S VYP (304) | | | | | | |
| P á | | | | | | | | | | | |

Suplovací pohotovost (Poh)
Po 11.hod