

	0 7 <sup>10</sup> - 7 <sup>55</sup>	1 8 <sup>00</sup> - 8 <sup>45</sup>	2 8 <sup>55</sup> - 9 <sup>40</sup>	3 9 <sup>50</sup> - 10 <sup>35</sup>	4 10 <sup>55</sup> - 11 <sup>40</sup>	5 11 <sup>50</sup> - 12 <sup>35</sup>	6 12 <sup>45</sup> - 13 <sup>30</sup>	7 13 <sup>35</sup> - 14 <sup>20</sup>	8 14 <sup>25</sup> - 15 <sup>10</sup>	9 15 <sup>15</sup> - 16 <sup>00</sup>	10 16 <sup>05</sup> - 16 <sup>50</sup>	11 16 <sup>55</sup> - 17 <sup>40</sup>	Výpis supl. pohotovostí, dohledů
P o		ANJP 3.S ICT (202)	ANJZ 3.S ICT (202)			Poh				1.S PGR (411)	1.S PGR (411)		Suplovací pohotovost (Poh)  Po 5.hod
Ú t		G 2.S PIS (411)	G 2.S PIS (411)							G 4.S PCV (016)	G 4.S PCV (016)		
S t													
Č t		G 4.S PCV (016)	G 4.S PCV (016)	G 4.S PCV (016)	G 4.S PCV (016)	G 4.S PCV (016)		ANJP 4.S ICT (202)		G 2.S PCV (016)	G 2.S PCV (016)		
P á		G 2.S PGR (411)	G 2.S PGR (411)	G 2.S PGR (411)	G 3.S PCV (016)	G 3.S PCV (016)	G 3.S PCV (016)						